



**Simple Shower Solutions**

HOSPITALITY COLLECTION

# INDEX




05	Metro - F
07	Alumni
09	Alumni - F
11	Mara
13	Edge
15	Cosmo
17	Viva
19	Nexo
21	Strada
23	Briza Curve
25	Austin
27	Fiaza



# METRO-F

## FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass
- Chrome, Brushed Nickel, Oil Rubbed Bronze and Satin Black hardware finishes available
- Fully frameless glass design
- Solid brass wall mount self-closing hinges
- Up to 1/2 in. out-of-plumb adjustment on all size models
- Reversible for right or left door opening
- Inline panel attached to the wall by a 1 in. anodized aluminum U-channel
- Materials: ANSI certified tempered glass, solid brass hardware
- Studs or reinforcement behind finished walls required for installation
- Models from 42 in. - 66 in. wide include a stationary panel and 2 shelves for stable structure
- Materials: ANSI certified tempered glass, solid brass hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	CH	BN	RB	SB
59 1/2 - 60	72	29 1/2	SW012559121CH	SW012559121BN	SW012559121RB	SW012559121SB



ALUMINI




## ALUMNI

The Alumni series sliding door is an impressive and highly engineered shower door available in 3/8 inch (10 mm) ANSI certified tempered safety glass, 76 inch high for shower door and 66 inch high for tub door. It has a neat closing and smooth gliding action due to adjustable solid stainless steel rollers.

### FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass options available
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Adjustable rollers for smooth sliding
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	ST	CH
56 - 60	76	24 - 28	3/8 in. (10 mm)	SW011360761ST	SW011360761CH




ALUMINI-F



# ALUMNI-F

## FEATURE HIGHLIGHTS


- 3/8 in. (10 mm) tempered glass options available
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- Up to 1/2 in. out-of-plumb adjustment on all size models
- Adjustable rollers for smooth sliding
- Convenient towel bar on the inline panel
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Uni-jumping stoppers to reduce door bouncing during opening and closing
- Inline panel attached to the wall by a 1 in. anodized aluminum U-channel
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	ST	CH
56 - 60	76	24 - 28	3/8 in. (10 mm)	SW012460761ST	SW012460761CH



MARA




# MARA

Mara is a double sliding bypass shower or tub door is another clever and ingenious design idea accomplishes exposed stainless steel rollers gliding on a single track. This functional and stylish door available in 3/8 in. (10 mm) ANSI certified tempered glass. Add a modern and functional touch to your bathroom.

## FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass options available
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- Wall profile allows for up to 3/8 in. (10 mm) out-of-plumb adjustment
- Double sliding bypass design for left or right side entry
- Equipped rollers with anti-jumping device to prevent doors from sliding off top rail
- 4 stainless steel adjustable up to 1/4 in. (6 mm) rollers for smooth sliding
- Large and functional towel bar styled dual handles
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	ST	CH
56 - 60	76	24 - 28	3/8 in. (10 mm)	SW012160761ST	SW012160761CH



EDGE




## EDGE

Striking in its appearance, the Edge series frameless shower door with rollers and a fixed panel redefines the art of showering with its fusion between stylish beauty and highly engineered practicality!

### FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass
- Stainless steel and chrome hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Large stainless steel wheels allowing for featherless sliding operation on a superior stainless steel track
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/8 in. (60 mm) required)
- Suspended design rollers allow for up to 1/2 in. (12 mm) horizontal door adjustment
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	ST	CH
56 - 60	76	24 - 28	SW011460761ST	SW011460761CH



COSMO




## COSMO

The Cosmo series sliding door is bound to impress in any bathroom. It's substantial 3/8 inch (10mm) ANSI certified toughened glass and solid stainless steel hardware construction provides a style statement that befits the beauty of this door.

### FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Adjustable large stainless steel rollers for smooth sliding
- Large wheels allowing for featherless sliding operation on a superior solid stainless steel track
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	ST	CH
56 - 60	76	24 - 28	SW011560761ST	SW011560761CH



VIVA




## VIVA

Ingenious double bypass sliding design! The Viva familiar but yet so different, it is not your every day shower door. Engineered to perfection with functionality and style in mind. Our original double sliding door action top rail design allows for both doors to slide along the rail. Anti-jumping designed rollers preventing from sliding off top rail. Available in variety of hardware finishes and sizes.

### FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass options available
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Double sliding bypass design for left or right side entry
- Equipped rollers with anti-jumping device to prevent doors from sliding off top rail
- Stainless steel adjustable up to 1/4 in. (6 mm) rollers for smooth sliding
- Large and functional towel bar styled dual handles
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	ST	CH
56 - 60	76	24 - 28	3/8 in. (10 mm)	SW012060761ST	SW012060761CH



NEXO




# NEXO

With Nexo sliding bypass shower or tub door add style and modern touch with out braking your budget. Fully frameless and modern look will accomplish your goals to turn you shower space in to styled oasis. Available in variety of glass thickness, sizes and hardware finishes.

## FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass options available
- Chrome, Brushed Nickel, Oil Rubbed Bronze and Satin Black hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Rollers effortlessly slide over anodized aluminum top rail
- Equipped rollers with anti-jumping device to prevent doors from sliding off top rail
- Adjustable rollers up to 1/4 in. (6 mm) for smooth sliding
- Convenient towel bar on the inline panel
- Splash proof threshold to prevent water spillage (minimum threshold depth of 1 3/4 in. (45 mm) required)

- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	CH	BN	RB	SB
56 - 60	76	24 - 28	3/8 in. (10 mm)	SW012260761CH	SW012260761BN	SW012260761RB	SW012260761SB




STRADA

# STRADA

Strada series double sliding bypass shower or tub door offers classic style with a touch of elegance. Two sliding doors glide effortlessly on superior anodized aluminum track. Choose your Strada door and add a classic touch to your bathroom space.

## FEATURE HIGHLIGHTS

- 3/8 in. (10 mm) tempered glass options available
- Chrome and Brushed Nickel hardware finishes available
- Semi-frameless glass design
- Up to 1/2 in. out-of-plumb adjustment on all size models
- Clever designed rollers allowing for effortless sliding operation on a superior aluminum track
- Large and functional towel bar styled dual handles
- Adjustable down size, by trimming top and bottom track by up to 4 in. (100 mm)
- Double sliding bypass design for left or right side entry
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	GLASS	CH	BN
56 - 60	72	24 - 28	3/8 in. (10 mm)	SW011760721CH	SW011760721BN



BRIZA CURVE




# BRIZA CURVE

With Briza Curve series shower door resolve your space constrains, add more space in the center your shower with out increasing footprint on the sides. This elegant and modern shower door will look classy in any shower space.

## FEATURE HIGHLIGHTS

- 5/16 in. (8 mm) tempered glass
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- No out-of-plumb installation adjustability
- Adjustable rollers for smooth sliding
- Convenient towel bar on the inline panel
- Curved design for more elbow space in the middle of the shower
- Splash proof threshold to prevent water spillage (minimum threshold depth of 2 3/4 in. (70 mm) required)
- Adjustable down size, by trimming top bar by up to 4 in. (100 mm)
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation



A	B	C	ST	CH
56 - 60	76	24 - 28	SW062660761ST	SW062660761CH



AUSTIN



# AUSTIN

Striking in its appearance, this Barn door with rollers redefines the art of doors. Equipped with solid stainless steel track and rollers this door delivers effortless operation as much as undisputed quality.

## FEATURE HIGHLIGHTS

- 1/2 in. (12 mm) and 3/8 in. (10 mm) tempered glass options available
- Stainless Steel and Chrome hardware finishes available
- Fully frameless glass design
- Door guide prevents door from shaking
- Large stainless steel wheels allowing for featherless sliding operation on a superior stainless steel track
- Functional large handle
- Suspended design rollers allow for up to 1/2 in. (12 mm) horizontal door adjustment
- Reversible for right or left door sliding installation
- Materials: ANSI certified tempered glass, solid stainless steel hardware
- Studs or reinforcement behind finished walls required for installation

PLAZA




# FIAZA

The Fianza Collection virtually glows with an integrated LED ribbon bordering just inside the highly reflective mirror. Adding to the value of this mirror is a built in defrosting system and the versatility to display it either vertically or horizontally.

## FEATURE HIGHLIGHTS

- LED technology mirror
- Energy saving LED lifetime up to 50,000 hours
- 3 inch aluminum frame with moisture proof stripe
- Hangs horizontally or vertically
- Super bright
- Dimmable
- 110 Volt plug-in connection
- CRI 85+
- 100 mm Z-style mounting brackets
- Available in various sizes



A	B	LUMENS	WATT	MODEL
24	36	3500	32	SW140124363500
30	30	3500	32	SW140130303500
30	42	4000	36	SW140130423500
36	36	4000	36	SW140136364000
42	42	4900	44	SW140142424900
48	36	4900	44	SW140148364900
54	42	5400	48	SW140154425400
60	36	5400	48	SW140160365400
66	42	6000	54	SW140166426000
CUSTOM				SW1401CUSTOM







**Simple Shower Solutions**

Simple Shower Solutions  
7825 Coronet road NW  
Edmonton, AB Canada T6E 4N7

Tel: (587)523-2345

Fax: (780)465-6731

Email: [info@simpleshowersolutions.com](mailto:info@simpleshowersolutions.com)

Web: [www.simpleshowersolutions.com](http://www.simpleshowersolutions.com)